PLANT AND SOIL

Contents Volume 219, Nos. 1/2 2000

Simulation of shoot chloride accumulation: separation of physical and biochemical processes governing plant salt tolerance
F.N. Dalton, A. Maggio and G. Piccinni 1–11

Mobilization of DOC from sandy loamy soils under different land use (Lower Saxony, Germany)
T.E. Khomutova, L.T. Shirshova, S. Tinz, W. Rolland and J. Richter 13–19

Cd^{2+} effects on transmembrane electrical potential difference, respiration and membrane permeability of rice (*Oryza sativa* L) roots
A. Llamas, C.I. Ullrich and A. Sanz 21–28

A critical review on methods to measure apoplastic pH in plants
Q. Yu, C. Tang and J. Kuo 29–40

Physiological and morphological traits associated with zinc efficiency in *Exacum*
A. Riseman and R. Craig 41–47

Estimation of host-strain compatibility for symbiotic N-fixation between *Rhizobium meliloti*, several annual species of *Medicago* and *Medicago sativa*
J.G. Howieson, B. Nutt and P. Evans 49–55

On variation in forest floor thickness across four red pine plantations in Pennsylvania, USA
R.T. Koide and D.L. Shumway 57–69

Light-induced hyphal branching of germinated AM fungal spores
G. Nagahashi, D. Douds Jr. and M. Buee 71–79

Fine root biomass and tree species effects on potential N mineralization in afforested sodic soils
B. Singh, K.P. Tripathi, R.K. Jain and H.M. Behl 81–89

Decomposition of cellulose strips in relation to climate, litterfall nitrogen, phosphorus and C/N ratio in natural boreal forests
A.-M. Kurka, M. Starr, M. Heikinheimo and M. Salkinoja-Salonen 91–101

Urban tree root systems and their survival near houses analyzed using ground penetrating radar and sap flow techniques
J. Čermák, J. Hruška, M. Martinková and A. Prax 103–116

Hydraulic lift in drought-tolerant and -susceptible maize hybrids
C. Wan, W. Xu, R.E. Sosebee, S. Machado and T. Archer 117–126

Identification of white truffle species using RAPD markers
I. Rossi, B. Bartolacci, L. Potenza, L. Bertini, E. Barbieri and V. Stocchi 127–133

An investigation of plant growth in an organo-zeolitic substrate and its ecological significance
P.J. Leggo 135–146

Boron deficiency in lentil: Yield loss and geographic distribution in a germplasm collection
S.P. Srivastava, T.M.S. Bhandari, C.R. Yadav, M. Joshi and W. Erskine **147–151**

Influence of nitrogen fertilisation on the population of diazotrophic bacteria *Herbaspirillum* spp. and *Acetobacter diazotrophicus* in sugar cane (*Saccharum* spp.)
F.B. dos Reis Jr., V. Massena Reis, S. Urquiaga and J. Döbereiner **153–159**

Spatial heterogeneity of soil properties in areas under elephant-grass short-duration grazing system
S. Imhoff, A. Pires da Silva and C.A. Tormena **161–168**

Structural and functional changes in root cells induced by calcium ionophore A23187
F. Minibayeva, O. Polygalova, A. Alyabyev and L. Gordon **169–175**

Dynamics of biomass and N accumulation of alfalfa under three N fertilization rates
G. Bélanger and J.E. Richards **177–185**

Screening the ability of rice roots to overcome the mechanical impedance of wax layers: importance of test conditions and measurement criteria
L.J. Clark, S.L. Aphalé and P.B. Barraclough **187–196**

Analysis of $\delta^{13}C$ of CO_2 distinguishes between microbial respiration of added C_4-sucrose and other soil respiration in a C_3-ecosystem
A. Ekblad and P. Högberg **197–209**

Emergence of seedlings of sugar beet (*Beta vulgaris* L.) as affected by the size, roughness and position of aggregates in the seedbed
C. Dürr and J.-N. Aubertot **211–220**

A comparison of the effects of auxin on cluster root initiation and development in *Grevillea robusta* Cunn. ex R. Br. (Proteaceae) and in the genus *Lupinus* (Leguminosae)
K.R. Skene and W.M. James **221–229**

Carbon storage and root penetration in deep soils under small-farmer land-use systems in the Eastern Amazon region, Brazil
R. Sommer, M. Denich and P.L.G. Vlek **231–241**

Effects of inorganic nitrogen and phosphorus supply on nitrogen aquisition from alanine by birch seedlings in symbiosis with *Paxillus involutus*
M.-M. Kytöviita and K. Arnebrant **243–250**

Multivariate interpretation of the foliar chemical composition of Norway spruce (*Picea abies*)
P. Schleppi, L. Tobler, J.B. Bucher and A. Wyttenbach **251–262**

The effect of soil moisture on the tolerance of *Lupinus pilosus* genotypes to a calcareous soil
J.D. Brand, C. Tang and R.D. Graham **263–271**

^{13}C NMR study of pine needle decomposition
R.L. Parfitt, and R.H. Newman **273–278**

Influence of varied zinc supply on re-translocation of cadmium (^{109}Cd) and rubidium (^{86}Rb) applied on mature leaf of durum wheat seedlings
I. Cakmak, R.M. Welch, B. Erenoglu, V. Römheld, W.A. Norvell and L.V. Kochian **279–284**

Natural abundance of ^{15}N in actinorhizal plants and nodules
J.D. Tjepkema, C.R. Schwintzer, R.H. Burris, G.V. Johnson and W.B. Silvester **285–289**

Author index **291**

Cover Photo: Tree foliage is an indicator of the plant nutritional status and of environmental factors. Standard analyses of Norway spruce (*Picea abies*) needles are carried out on samples taken from the upper, sun-exposed part of the crowns. (Photograph by P. Schleppi, WSL Birmensdorf).
Plant and Soil Vol. 219, pp. 251–262.